

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,626	03/10/2005	Takahisa Ueda	268A 3692 PCT	5265
3713 KODA & AND	7590 04/06/200 POLIA	7	EXAMINER	
2029 CENTURY PARK EAST			GRAY, JILL M	
SUITE 1140 LOS ANGELES, CA 90067			ART UNIT	PAPER NUMBER
	-,		1774	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		04/06/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

			th/	
		Application No.	Applicant(s)	
		10/527,626	UEDA ET AL.	
	Office Action Summary	Examiner	Art Unit	
		Jill M. Gray	1774	
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the o	orrespondence address	
WHI( - Exte after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DAY INSIDE TO STATE OF THE MAILING TH	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be time will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).	
Status				
1)⊠	Responsive to communication(s) filed on 09 Ja	nuary 2007.		
2a) <u></u> ☐	This action is <b>FINAL</b> . 2b)⊠ This	action is non-final.		
3)	Since this application is in condition for allowar	nce except for formal matters, pro	secution as to the merits is	
	closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	i3 O.G. 213.	
Disposit	ion of Claims			
4)⊠	Claim(s) 1-13 is/are pending in the application.			
	4a) Of the above claim(s) is/are withdraw	vn from consideration.		
5)[	Claim(s) is/are allowed.			
6)⊠	Claim(s) <u>1-13</u> is/are rejected.			
7)	Claim(s) is/are objected to.			
8)[	Claim(s) are subject to restriction and/or	r election requirement.		
Applicat	ion Papers			
9)[	The specification is objected to by the Examiner	r.		t
10)[	The drawing(s) filed on is/are: a) acce	epted or b) objected to by the I	Examiner.	
	Applicant may not request that any objection to the o	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).	
	Replacement drawing sheet(s) including the correcti	•		
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.	
Priority ι	under 35 U.S.C. § 119			
	Acknowledgment is made of a claim for foreign  ☐ All b)☐ Some * c)☐ None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).	
	1. Certified copies of the priority documents			
	2. Certified copies of the priority documents	• •		
	3. Copies of the certified copies of the prior	•	d in this National Stage	
* 0	application from the International Bureau	, , , , , , , , , , , , , , , , , , , ,	بـ	
	See the attached detailed Office action for a list of	or the certified copies not receive	a.	
Attachmen	• •			
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4) Ll Interview Summary Paper No(s)/Mail Da		
3) 🔯 Infor	mation Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of Informal P		
Pape	r No(s)/Mail Date <u>2/16/06</u> .	6)		

Application/Control Number: 10/527,626 Page 2

Art Unit: 1774

#### **DETAILED ACTION**

### Election/Restrictions

1. Applicant's election of the embodiment of winding a base strip member about a longitudinal direction and then stranding said base strip member in the reply filed on January 9, 2007 is acknowledged.

## Drawings

- 2. Figures 35, 36, 37, 38, 39, 40, and 41 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 3. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: "4(a)" and "4(b)" referenced in Fig. 4. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New

Application/Control Number: 10/527,626 Page 3

Art Unit: 1774

Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

## **Double Patenting**

4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

- 5. Claims 1-13 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-10 of U.S. Patent No. 7,140,171 B2. Although the conflicting claims are not identical, they are not patentably distinct from each other because the patented claims are drawn to gland packing comprising an expanded graphite strip having a reinforcing member on the peripheral surface, which is embraced by the claims of the present invention.
- 6. Claims 1-13 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 3-10 of U.S. Patent No. 7,155,892.

Application/Control Number: 10/527,626 Page 4

Art Unit: 1774

Although the conflicting claims are not identical, they are not patentably distinct from each other because the patented claims are drawn to gland packing comprising an expanded graphite strip having a reinforcing member on the peripheral surface, which is embraced by the claims of the present invention.

No claims are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jill M. Gray whose telephone number is 571-272-1524. The examiner can normally be reached on M-Th and alternate Fridays 10:30-7:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rena Dye can be reached on 571-272-3186. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Primary Examiner
Art Unit 1774